












## Price list

Product Name	Article Number	EAN-Code	Product Description	Netto List Price	Availability	
<b>CUBES</b>						
	frogDisplay	CU-Dis-A.02	4260578530842	The 3,5" frogblue Touchscreen user interface and WLAN gateway (230 V~) for managing and controlling e.g. Lighting, Shading, Heating and Scenarios. Including 2 inputs for connection with low voltage contacts without additional power supply. Featuring integrated proximity, brightness and temperature sensor as well as microphone, loudspeaker and time buffering.	548,00 €	Available
	frogAccess1-1	CU-Acc-B1-1.01	4260578530347	Access control and building management via PIN-Code with Glastouch code entry. Featuring integrated proximity, brightness and temperature sensors and time buffering. With an input for connecting potential-free contacts and a switching output (230 V ~).	298,00 €	Available
	frogMotion1-1	CU-Mot-A1-1.01	4260578530323	PIR-Sensor for triggering alarms and controlling the frogblue system via motion detection, temperature, proximity and brightness sensors. With an input for connecting potential-free contacts and a switching output (230 V ~).	298,00 €	Available
	frogControl1-1	CU-Con-B1-1.01	4260578531184	Control of the frogblue system using 12 glass touch buttons. Featuring integrated proximity, brightness and temperature sensors and time buffering. With an input for connecting potential-free contacts and a switching output (230 V ~).	298,00 €	estimated Q2 2022








Product Name	Article Number	EAN-Code	Product Description	Netto List Price	Availability	
<b>FROGS</b>						
	frogAct1-0	A1-0-400.01	4260578530163	Multifunctional 1-channel actuator to turn on/off lights or other appliances (230 V ~). Featuring integrated logic module with comfort and timer functions, power measurement and short circuit detection. (1x 400 W @ 230 V~)	78,00 €	Available
	frogAct1-1	A1-1-400.01	4260578530187	Multifunctional 1-channel actuator with one input to turn on/off lights or other appliances featuring 1 Input for integration of switches and other devices (110-240 V~). Featuring integrated logic module with comfort and timer functions, power measurement and short circuit detection. (1x 400 W @ 230 V~)	88,00 €	Available









Product Name	Article Number	EAN-Code	Product Description	Netto List Price	Availability	
<b>FROGS</b>						
	frogAct1-3	A1-3-400.01	4260578530408	Multifunctional 1-channel actuator to turn on/off lights or other appliances featuring 3 Inputs for integration of switches and other devices (110-240 V~). Featuring integrated logic module with comfort and timer functions, power measurement and short circuit detection. (1x 400 W @ 230 V~)	128,00 €	Available
	frogAct2-2	A2-2-300.01	4260578530385	Multifunctional 2-channel actuator to turn on/off lights or other appliances featuring 2 Inputs for integration of switches and other devices (110-240 V~). Featuring integrated logic module with comfort and timer functions, power measurement and short circuit detection. (2x 300 W @ 230 V~)	138,00 €	Available
	frogDim1-0	D1-0-300.01	4260578530200	Multifunctional 1-channel dimming actuator to dim or switch lights on/off (110-240 V~). Switching and dimming functionality for all approved trailing-edge phase control dimming lighting; Leading-edge phase control only for inductive load approved. Switching of all other lighting. Featuring integrated logic module with comfort and timer functions, power measurement and short circuit detection. (1x 300 W @ 230 V~)	88,00 €	Available
	frogDim1-1	D1-1-300.01	4260578530828	Multifunctional 1-channel dimming actuator with 1 output to dim or switch lights on/off and 1 input for integration of additional switches and sensors (110-240 V~). Switching and dimming functionality for all approved trailing-edge phase control dimmable lighting; Leading-edge phase control only for inductive load approved. Switching of all other lighting. Featuring integrated logic module with comfort and timer functions, power measurement and short circuit detection. (1x 300 W @ 230 V~)	98,00 €	Available
	frogDim1-3	D1-3-300.01	4260578530026	Multifunctional 1-channel dimming actuator with 1 output to dim or switch lights on/off and 3 inputs for integration of additional switches and sensors (110-240 V~). Switching and dimming functionality for all approved trailing-edge phase control dimmable lighting; Leading-edge phase control only for inductive load approved. Switching of all other lighting. Featuring integrated logic module with comfort and timer functions, power measurement and short circuit detection. (1x 300 W @ 230 V~)	138,00 €	Available
	frogDim2-2	D2-2-300.01	4260578530002	Multifunctional 1-channel dimming actuator with 2 outputs to dim or switch lights on/off and 2 inputs for integration/query of additional switches and sensors (110-240 V~). Switching and dimming functionality for all approved leading and trailing-edge phase control dimmable lighting; Featuring integrated logic module with comfort and timer functions, power measurement and short circuit detection. (2x 300 W @ 230 V~)	158,00 €	Available
	frogStrip120e	STR120e.01	4260578530996	Multifunctional 4-channel LED RGBW controller to connect to external power supply. With MultiStrip technology and strip power management, comfort and time functions, power measurement and short-circuit detection (120 W per channel (24 V / 5 A) / total power 120 W)	108,00 €	Available

	Product Name	Article Number	EAN-Code	Product Description	Netto List Price	Availability
<b>FROGS</b>						
	frogIn3-AC	I3-AC.01	4260578530224	Multifunctional 3-channel input to query buttons/switches/other sensors (110-240 V~) and for controlling all frogblue components within the frogblue Bluetooth® LE network. Featuring integrated logic module with comfort and timer functions.	78,00 €	Available
	frogIn5-AC	I5-AC.01	4260578530040	Multifunctional 5-channel input to query buttons/switches/other sensors (110-240 V~) and for controlling all components within the frogblue Bluetooth® LE network. Featuring integrated logic module with comfort and timer functions.	98,00 €	Available
	frogContact5	C5-SPC.01	4260578530064	Multifunctional 5-channel contact module to query low-voltage contacts at up to 100 meters without additional power. 5 inputs in 3 galvanic circuits. Featuring integrated logic module with comfort and timer functions.	108,00 €	Available
	frogContact5-BAT	C5-BAT.01	4260578530446	Multifunctional 5-channel battery powered contact module to query low-voltage contacts .Featuring integrated logic module with comfort and timer functions. Battery life approx. 10 years based on 70 operations per day.	78,00 €	Available
	frogRelay2-2	R2-2-1200.01	4260578530248	Multifunctional 2-channel relay switch with 2 outputs for controlling shutters/blinds and other motors. Also 2 inputs for integration/query of additional switches and sensors (110-240 V~). Featuring integrated logic module with comfort and timer functions, power measurement and excess current detection (total: 1200 W@230V).	108,00 €	Available
	frogRelay2-2-PF	R2-2-PF.01	4260578530460	Multifunctional 2-channel relay switch with 2 potential-free outputs. With 2 inputs to query buttons and switches (110-240 V ~). Featuring integrated logic module with comfort and timer functions as well as power measurement.	98,00 €	Available
	frogClock	SU-RE.01	4260578530422	Time synchronization and Repeater for the frogblue Bluetooth® network. With integrated time buffering (RTC) for 120 hours (5 days) during mains power outage.	68,00 €	Available



Product Name	Article Number	EAN-Code	Product Description	Netto List Price	Availability	
<b>FROGS</b>						
	frogConnect1-1	SU-CO1-1.01	4260578530361	To discharge leakage current / residual voltage. Reduces the afterglow of certain LED lamps when switched off. For use with frogblue dimmers.	28,00 €	Available
	frogEntry2-3	E2-3-12V.01	4260578530088	Multifunctional switch actuator to control 12V electronic door openers or motorized locks featuring 3 contact inputs for determining door or buttons/switches status in 2 galvanic circuits. With integrated logic module, Featuring integrated logic module with comfort and timer functions.	128,00 €	Available
<b>BOXES</b>						
	frogBoxHeat	B-Heat.01	4260578530811	Multi-channel heating controller for controlling heating regulation. 5 potential-free relay outputs for connecting thermal heating valves or electric radiators and additional virtual outputs for controlling distant frogs. With 2 inputs for detection of buttons and switches (110-240 V~).	298,00 €	Available
	frogBoxRelay5-2	B-Relay5-2.01	4260578530804	Multifunctional 5-channel actuator (6 A / 230V~) for switching lights and other loads with two inputs for connecting push-buttons/switches. With temperature and brightness sensor, comfort and time functions	198,00 €	Available
	frogBoxGPS0-2	B-GPS0-2.01	4260578530484	Management module for outdoors with integrated GPS receiver for providing exact time and position with 2 inputs for connection with switches, buttons etc (110-240 V~) and Piezzo signal generator. Additional sensors for capturing the outside temperature and the outside brightness.	198,00 €	Available
	frogBoxOutdoor	B-Outdoor.01	4260578530545	Weather proof housing for installing frogs outdoors.	38,00 €	Available
	frogHeatBar-10/2-24V	B-HeatB-10/2-24V.01	4260578531399	230 V supplied multi-channel heating control for controlling up to 11 heating circuits/rooms. 10 relay outputs (24 V) for connecting thermal heating valves or electric radiators. With additional virtual outputs to control remote frogs via the frogblue Bluetooth® mesh network. 2 integrated push buttons for easy manual operation. 2 floating inputs for connecting switches/pushbuttons and 2 floating relay outputs for controlling circulating pump and burner demand. 1-Wire bus for connection of temperature sensors. frogblue fBUS for connection of frogblue fBUS devices.	598,00 €	Available

Product Name	Article Number	EAN-Code	Product Description	Netto List Price	Availability	
<b>BOXES</b>						
	frogHeatBar-10/2-230V	B-HeatB-10/2-230V.01	4260578531016	230 V supplied multi-channel heating control for controlling up to 11 heating circuits/rooms. 10 relay outputs (110-230 V) for connecting thermal heating valves or electric radiators. With additional virtual outputs to control remote frogs via the frogblue Bluetooth® mesh network. 2 integrated push buttons for easy manual operation. 2 floating inputs for connecting switches/pushbuttons and 2 floating relay outputs for controlling circulating pump and burner demand. 1-Wire bus for connection of temperature sensors. frogblue fBUS for connection of frogblue fBUS devices.	598,00 €	Available
Product Name	Article Number	EAN-Code	Product Description	Netto List Price	Availability	
<b>ACCESORIES</b>						
	frogKey 02	SU-Key.02	4260578530859	Gesture and position sensitive transponder for operating frogblue systems.	48,00 €	Available
	frogLink	SU-Lin.01	4260578530125	Bluetooth® LE USB stick to configure and control frogblue components using Windows-PC. Serial interface for integration of third party solutions and devices.	48,00 €	Available
	frogRoomSense	SU-RoomSense.01	4260578530781	Multifunctional sensor with exchangeable battery CR2450 (45 x 45 x 13 mm) with sensors for temperature, humidity and brightness.	68,00 €	Available
	frogMultiSense	SU-MultiSense.01	4260578530552	Multifunctional sensor with exchangeable battery CR2450 (45 x 45 x 13 mm) with sensors for temperature, humidity, air (barometric) pressure and brightness. Window or door opening detection using magnetic contacts and an acceleration sensor (gyro sensor) for movement detection.	98,00 €	Available
	Batterie CR2450R	SU-CR2450R.01	4260578531214	Replacement battery for frogMultiSense and frogRoomSense.	4,00 €	only available in frogblue webshop and the listed delivery countries



Product Name	Article Number	EAN-Code	Product Description	Netto List Price	Availability	
<b>ACCESSORIES</b>						
	frogClip - 5 units	SU-Clip5.01	4260578530880	Holder for mounting the frog on the top-hat rail (e.g. in junction box). Contents of packaging 5 pcs.	12,00 €	Available
	frogClip - 15 units	SU-Clip15.01	4260578530897	Holder for mounting the frog on the top-hat rail (e.g. in junction box). Contents of packaging 15 pcs.	24,00 €	Available
	frogValveDrive230-NC	SU-ValveDrive230.01	4260578531238	A 230 V supplied thermoelectric actuator for opening and closing small valves and valves on heating circuit distributors for surface heating and surface cooling systems. The actuator is controlled by our frogblue products	28,00 €	Available
	frogValveDrive24-NC	SU-ValveDrive24V.01	4260578531177	A 24 V supplied thermoelectric actuator for opening and closing small valves and valves on heating circuit distributors for surface heating and surface cooling systems. The actuator is controlled by our frogblue products	28,00 €	Available
<b>SOFTWARE</b>						
	frogblue ProjectApp	frogblueProject	-	The frogblue ProjectApp for tablet or PC is the powerful software app for the installer or system integrator who configures the Bluetooth® based smart building solution. Available for all current tablets with iOS or Android operating systems. If used via a Windows computer, the frogLink serves as an interface to the system.	0,00 €	Available
	frogControl	frogControl	-	The frogblue HomeApp is the intuitive software App that allows the user to effortlessly manage their Bluetooth® based frogblue Smart Building solution. Available for all current tablets and smartphones with iOS or Android operating systems. If used via a Windows computer, the frogLink serves as an interface to the system.	0,00 €	Available



SMART BUILDING  
TECHNOLOGY  
GERMANY

### **frogblue AG**

Luxemburger Straße 6  
D-67657 Kaiserslautern  
Phone +49 631 520829-0  
WhatsApp +49 175 4756805  
[info@frogblue.com](mailto:info@frogblue.com)

### **Distribution**

Phone +49 631 520829-120  
[sales@frogblue.com](mailto:sales@frogblue.com)

### **Support**

Phone +49 631 520829-121  
[support@frogblue.com](mailto:support@frogblue.com)